


circuit diagram


P9S





powersupply option



power supply cord and device terminals must be dimensioned to the current load








date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220

MS P9S US



tubes-canopy-side

subject to alternations
page 4 from 14




date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220




MS P9S US



tubes bench

subject to alternations
page 5 from 14





date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220

MS P9S US




 The Beauty & Health Company

Sunsphere Facial / Sunsphere Shoulder

beauty booster

subject to alternations
page 7 from 14




date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220

MS P9S US



heat return - fan aircoon - aqua - aroma

subject to alternations
page 8 from 14




date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220


MS P9S US



lighting

subject to alternations
page 9 from 14






date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220

MS P9S US



LED Matrix canopy

subject to alternations
page 11 from 14



date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220


MS P9S US



LED Matrix front

subject to alternations
page 12 from 14

Audio -XM- /8.2



date	01.12.20
name	R.Schmidt
vers.	MS P9S US 01-1220


MS P9S US



Overview Audio + Bus


subject to alternations
page 13 from 14

Sunsphere Facial overview - tubes




overview ballast

canopy



side



base

